

SAFETY DATA SHEET

504239 BENZYL ACETATE NATURAL

Revision Date: 11-01-2017

Page 1 of 11

Version # 03

Print Date: 11-01-2017

1. IDENTIFICATION

Product Description: BENZYL ACETATE NATURAL
CAS # 140-11-4
FEMA Number 2135
Other means of identification
Vigon Item # 504239
Recommended use Concentrated aromatic and flavor ingredient which may be used in flavor and fragrance compounds according to legal and IFRA or FEMA GRAS/FDA guidelines.
Recommended restrictions For Manufacturing Use Only

Company

Vigon International, Inc.
127 Airport Road
E. Stroudsburg, PA 18301
For information call: 570-476-6300
Web Site: www.vigon.com

24 Hour Emergency Response Information

INFOTRAC (ACCT# 78928);
1-800-535-5053 WITHIN THE U.S.A.
1-352-323-3500 OUTSIDE THE U.S.A.

Manufacturer/Importer/Supplier/Distributor information**Manufacturer**

Company name Vigon International, Inc.
Address 127 Airport Road
E. Stroudsburg, PA 18301
United States
Telephone For information call: 570-476-6300
Website www.vigon.com
E-mail Not available.
Emergency phone number INFOTRAC (ACCT# 78928);
1-800-535-5053 WITHIN THE U.S.A.
1-352-323-3500 OUTSIDE THE U.S.A.

2. HAZARD(S) IDENTIFICATION

Physical hazards Not classified.
Health hazards Acute toxicity, oral Category 5
Environmental hazards Hazardous to the aquatic environment, Category 2
acute hazard
Hazardous to the aquatic environment, Category 2
long-term hazard

Label elements

Signal word

Warning



SAFETY DATA SHEET

504239 BENZYL ACETATE NATURAL

Revision Date: 11-01-2017

Page 2 of 11

Version # 03

Print Date: 11-01-2017

Hazard statement	May be harmful if swallowed. Toxic to aquatic life. Toxic to aquatic life with long lasting effects.
Precautionary statement	
Prevention	Avoid release to the environment.
Response	Call a POISON CENTER/doctor if you feel unwell. Collect spillage.
Storage	Store away from incompatible materials.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	100% of the mixture consists of component(s) of unknown acute inhalation toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

Chemical name	Common name and synonyms	CAS number	%
BENZYL ACETATE	PHENYL METHYL ACETATE a-acetoxytoluene benzenemethanol acetate benzenemethanol ethanoate benzyl ethanoate	140-11-4	100

4. FIRST-AID MEASURES

Inhalation	If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. For breathing difficulties, oxygen may be necessary. Call a physician if symptoms develop or persist.
Skin contact	Take off immediately all contaminated clothing. Get medical attention if irritation develops and persists. Wash skin thoroughly with soap and water for several minutes.
Eye contact	Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists. Promptly wash eyes with plenty of water while lifting the eye lids.
Ingestion	Call a physician or poison control center immediately. If swallowed, rinse mouth with water (only if the person is conscious). Do not induce vomiting. If vomiting occurs, the head should be kept low so that stomach vomit doesn't enter the lungs.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Not available.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	Water spray, fog, CO2, dry chemical, or alcohol resistant foam.
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire.
Specific hazards arising from the chemical	Fire may produce irritating, corrosive and/or toxic gases.



SAFETY DATA SHEET

504239 BENZYL ACETATE NATURAL

Revision Date: 11-01-2017

Page 3 of 11

Version # 03

Print Date: 11-01-2017

Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection. Wear self-contained breathing apparatus with a full facepiece operated in the positive pressure demand mode when fighting fires.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Water runoff can cause environmental damage. Ventilate closed spaces before entering them. Keep run-off water out of sewers and water sources. Dike for water control.
Specific methods	Use water spray to cool unopened containers.
General fire hazards	Static charges generated by emptying package in or near flammable vapor may cause flash fire.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Avoid contact with skin or inhalation of spillage, dust or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Eliminate all sources of ignition.
Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps. The product is immiscible with water and will spread on the water surface. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Prevent product from entering drains. Absorb in vermiculite, dry sand or earth and place into containers. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills in original containers for re-use. This material and its container must be disposed of as hazardous waste. Collect and dispose of spillage as indicated in section 13 of the SDS.

Environmental precautions	Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid release to the environment. Retain and dispose of contaminated wash water. Contact local authorities in case of spillage to drain/aquatic environment.
----------------------------------	--

7. HANDLING AND STORAGE

Precautions for safe handling	Do not handle or store near an open flame, heat or other sources of ignition. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Avoid breathing vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wash thoroughly after handling.
Conditions for safe storage, including any incompatibilities	Keep container closed. Handle containers with care. Open slowly in order to control possible pressure release. Store in a cool, well-ventilated area.



SAFETY DATA SHEET

504239 BENZYL ACETATE NATURAL

Revision Date: 11-01-2017

Page 4 of 11

Version # 03

Print Date: 11-01-2017

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limits

US. ACGIH Threshold Limit Values

Material	Type	Value
BENZYL ACETATE (CAS 140-11-4)	TWA	10 ppm

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls Use explosion-proof ventilation equipment to stay below exposure limits. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Adequate ventilation should be provided so that exposure limits are not exceeded.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Chemical resistant gloves.

Other Not available.

Respiratory protection Respiratory protection not required. If ventilation is insufficient, suitable respiratory protection must be provided.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Refer to Spec Sheet
Physical state	Liquid.
Form	Liquid.
Color	Refer to Spec Sheet
Odor	Characteristic.
Odor threshold	Not available.
pH	Not available.
Melting point/freezing point	-59.8 °F (-51 °C)
Initial boiling point and boiling range	415.4 °F (213 °C)
Flash point	> 200.0 °F (> 93.3 °C) Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.

SAFETY DATA SHEET

504239 BENZYL ACETATE NATURAL

Revision Date: 11-01-2017

Page 5 of 11

Version # 03

Print Date: 11-01-2017

Upper/lower flammability or explosive limits

Flammability limit - lower (%) Not available.

Flammability limit - upper (%) Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 0.18 mm Hg at 25°C

Vapor density 5.2

Relative density Not available.

Solubility(ies)

Solubility (water) Insoluble

Partition coefficient (n-octanol/water) 1.96

Auto-ignition temperature 860 °F (460 °C)

Decomposition temperature Not available.

Viscosity Not available.

Other information

Density 1.05 g/cm³ estimated at 25 °C

Explosive properties Not explosive.

Flammability class Combustible IIIB estimated

Molecular formula C₉-H₁₀-O₂

Molecular weight 150.18 g/mol

Oxidizing properties Not oxidizing.

Specific gravity 1.05 at 25 °C

10. STABILITY AND REACTIVITY

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous reactions No dangerous reaction known under conditions of normal use.

Conditions to avoid Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition products No hazardous decomposition products if stored and handled as indicated.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact No adverse effects due to skin contact are expected.

Eye contact Direct contact with eyes may cause temporary irritation.

SAFETY DATA SHEET

504239 BENZYL ACETATE NATURAL

Revision Date: 11-01-2017

Page 6 of 11

Version # 03

Print Date: 11-01-2017

Ingestion	May be harmful if swallowed.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.
Information on toxicological effects	
Acute toxicity	May be harmful if swallowed.
Product	Species
<hr/>	
BENZYL ACETATE (CAS 140-11-4)	
Acute	
<i>Dermal</i>	
LD50	Rabbit > 5000 mg/kg
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.
Respiratory or skin sensitization	
Respiratory sensitization	Not a respiratory sensitizer.
Skin sensitization	This product is not expected to cause skin sensitization.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	
IARC Monographs. Overall Evaluation of Carcinogenicity	
Not listed.	
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)	
Not regulated.	
US. National Toxicology Program (NTP) Report on Carcinogens	
Not listed.	
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)	
Not available.	
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	Prolonged inhalation may be harmful.

12. ECOLOGICAL INFORMATION

Ecotoxicity Toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET

504239 BENZYL ACETATE NATURAL

Revision Date: 11-01-2017

Page 7 of 11

Version # 03

Print Date: 11-01-2017

Product	Species	Test Results
BENZYL ACETATE (CAS 140-11-4)		
Aquatic		
Fish	LC50	Medaka, high-eyes (<i>Oryzias latipes</i>)
		> 3.48 - < 4.6 mg/l, 96 hours
Persistence and degradability	No data is available on the degradability of this substance.	
Bioaccumulative potential		
Partition coefficient n-octanol / water (log Kow)		
1.96		
Mobility in soil	No data available.	
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	

13. DISPOSAL CONSIDERATIONS

Disposal instructions	Do not discharge into drains, water courses or onto the ground. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	Not established.
Waste from residues / unused products	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION

ADN

UN number	3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZYL ACETATE)
Transport hazard class(es)	9
Subsidiary class(es)	-
Packing group	III
Environmental hazards	Yes
Labels required	9

ADR

UN number	3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZYL ACETATE)
Transport hazard class(es)	9
Subsidiary class(es)	-
Packing group	III
Environmental hazards	Yes
Labels required	9

RID

UN number	3082
-----------	------

SAFETY DATA SHEET

504239 BENZYL ACETATE NATURAL

Revision Date: 11-01-2017

Page 8 of 11

Version # 03

Print Date: 11-01-2017

UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZYL ACETATE)
Transport hazard class(es)	9
Subsidiary class(es)	-
Packing Group	III
Environmental Hazards	Yes
Labels required	9
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

DOT

BULK

UN number	3082
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZYL ACETATE)
Hazard class	9
Packing group	III
Environmental hazards	
Marine pollutant	Yes
Packaging exceptions	155
Packaging bulk	241
Labels required	9

DOT

NON-BULK

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

UN number	3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZYL ACETATE)
Transport hazard class(es)	9
Subsidiary class(es)	-
Packing group	III
Environmental hazards	
Marine pollutant	Yes
Labels required	9
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.

SAFETY DATA SHEET

504239 BENZYL ACETATE NATURAL


Revision Date: 11-01-2017

Page 9 of 11


Version # 03

Print Date: 11-01-2017

ADN; ADR; DOT BULK; IMDG; RID



Marine pollutant



15. REGULATORY INFORMATION

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not available.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical

Yes

Classified hazard categories

Acute toxicity (any route of exposure)

SARA 313 (TRI reporting)

Not regulated.



SAFETY DATA SHEET

504239 BENZYL ACETATE NATURAL

Revision Date: 11-01-2017

Page 10 of 11

Version # 03

Print Date: 11-01-2017

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

California Proposition 65

California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Toxic Chemical Substances (TCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Issue date	07-22-2016
Revision date	11-01-2017
Version #	03
HMIS® ratings	Health: 2 Flammability: 1 Physical hazard: 0



SAFETY DATA SHEET

504239 BENZYL ACETATE NATURAL

Revision Date: 11-01-2017

Page 11 of 11

Version # 03

Print Date: 11-01-2017

Disclaimer

Vigon International, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, and disposal and should not be considered as a guarantee or quality specification. This product has not been evaluated for safe use in e-cigarettes or any vaping application where the product(s) is/are intentionally vaporized and inhaled. Vigon International, Inc. has performed no testing on these products in e-cig/vaping applications. It is the sole responsibility of the individual(s) purchasing this product to assess its' safety in the final application. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, disposal, and should not be considered as a guarantee or quality specification. The above information is based on data provided by and collected from recognized sources such as distributors, manufacturers, and technical groups and is considered to be accurate to the best of Vigon's knowledge as of the date of this document. It is the responsibility of the user to review all safety information about this product and determine its safety and suitability in their own processes and operations. Appropriate warnings and safe handling procedures should be provided to all handlers and users, taking into account the intended use and the specific conditions and factors relating to such use in accordance with all applicable laws and regulations.

Revision information

This document has undergone significant changes and should be reviewed in its entirety.