



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product YLANG OLIFFAC 0612

Print Date 01.05.2015

Page 1 (7)

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product name : YLANG OLIFFAC 0612
MSDS Number : 300000324585
Use of the Substance/Mixture : Fragrance for consumer product
Company : IFF Inc.
600 Highway 36
Hazlet NJ 07730
Telephone : +17322644500
Emergency telephone number : +1 800 424 9300

2. HAZARDS IDENTIFICATION

GHS-Classification

Flammable liquids, Category 4
Acute toxicity, Category 5, Oral
Skin corrosion/irritation, Category 2
Serious eye damage/eye irritation, Category 1
Skin sensitisation, Category 1
Reproductive toxicity, Category 2
Acute aquatic toxicity, Category 2
Chronic aquatic toxicity, Category 2

GHS-Labeling

Symbol(s) : 

Signal word : Danger

Hazard statements : H227: Combustible liquid.
H303: May be harmful if swallowed.
H315: Causes skin irritation.
H317: May cause an allergic skin reaction.
H318: Causes serious eye damage.
H361: Suspected of damaging fertility or the unborn child.
H411: Toxic to aquatic life with long lasting effects.

Precautionary statements : P201: Obtain special instructions before use.
P202: Do not handle until all safety precautions have been read and understood.
P210: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P261: Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

Version : 1
Revision Date : 01.05.2015



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product YLANG OLIFAC 0612

Print Date 01.05.2015

Page 2 (7)

P264: Wash skin thoroughly after handling.
P272: Contaminated work clothing should not be allowed out of the workplace.
P273: Avoid release to the environment.
P280: Wear protective gloves/ protective clothing/ eye protection/ face protection.
P302 + P352: IF ON SKIN: Wash with plenty of soap and water.
P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310: Immediately call a POISON CENTER or doctor/ physician.
P321: Specific treatment (see supplemental first aid instructions on this label).
P333 + P313: If skin irritation or rash occurs: Get medical advice/ attention.
P362: Take off contaminated clothing and wash before reuse.
P370 + P378: In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.
P391: Collect spillage.
P403 + P235: Store in a well-ventilated place. Keep cool.
P405: Store locked up.
P501: Dispose of contents/ container to an approved waste disposal plant.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical nature : Fragrance for consumer product

Hazardous components

Chemical Name	CAS-No.	Concentration
Acetic acid, phenylmethyl ester	140-11-4	30 - 60%
Benzene, 1-methoxy-4-methyl-	104-93-8	5 - 10%
Benzoic acid, methyl ester	93-58-3	5 - 10%
1,6-Octadien-3-ol, 3,7-dimethyl-	78-70-6, 126-91-0	5 - 10%
2,6-Octadien-1-ol, 3,7-dimethyl-, (2E)-	106-24-1	5 - 10%
Phenol, 2-methoxy-4-(1-propenyl)-	97-54-1	5 - 10%
Benzoic acid, 2-hydroxy-, pentyl ester	2050-08-0, 87-20-7	1 - 5%
Benzenemethanol	100-51-6	1 - 5%
Benzoic acid, 2-hydroxy-, phenylmethyl ester	118-58-1	1 - 5%
6-Octen-1-ol, 3,7-dimethyl-	106-22-9	1 - 5%
Terpineol, acetate	8007-35-0	1 - 5%
Propanoic acid, phenylmethyl ester	122-63-4	1 - 5%
Benzene, 1-methoxy-4-(1E)-1-propenyl-	4180-23-8	1 - 5%
Benzoic acid, phenylmethyl ester	120-51-4	1 - 5%

Version : 1

Revision Date : 01.05.2015



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product YLANG OLIFFAC 0612

Print Date 01.05.2015

Page 3 (7)

Benzeneethanol, .alpha.,.alpha.-dimethyl-, acetate	151-05-3	1 - 5%
Benzoic acid, ethyl ester	93-89-0	1 - 5%
2,6-Octadien-1-ol, 3,7-dimethyl-, (2Z)-	106-25-2	0.1 - 1%

4. FIRST AID MEASURES

- Inhalation : Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
- Skin contact : Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
- Eye contact : Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
- Ingestion : Rinse mouth with water and obtain medical advice.

5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Carbondioxide, dry chemical, foam.

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions : Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.
- Environmental precautions : Keep away from drains, surface- and groundwater and soil.
- Methods for cleaning up : Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

7. HANDLING AND STORAGE

Handling

- Advice on safe handling : Avoid excessive inhalation of concentrated vapors. Follow good manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned before re-use.

If appropriate, procedures used during the handling of this material should also be used when cleaning equipment or removing residual chemicals from tanks or other containers, especially when steam or hot water is used, as this may increase vapor concentrations in the workplace air. Where chemicals are openly handled, access should

Version : 1
Revision Date : 01.05.2015



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product YLANG OLIFFAC 0612

Print Date 01.05.2015

Page 4 (7)

be restricted to properly trained employees.
Keep all heated processes at the lowest necessary temperature in order to minimize emissions of volatile chemicals into the air.

Advice on protection against fire and explosion : Keep away from ignition sources and naked flame.

Storage

Requirements for storage areas and containers : Store in a cool, dry, ventilated area away from heat sources. Keep containers upright and tightly closed when not in use.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Verify if the substances declared in section 3 have relevant national exposure limits.

Personal protective equipment

Respiratory protection : Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. No respiratory protection is required during normal operations in a workplace where engineering controls such as adequate ventilation, etc. are sufficient.

If engineering controls and safe work practices are not sufficient, an approved, properly fitted respirator with organic vapor cartridges or canisters and particulate filters should be used:

- a) while engineering controls and appropriate safe work practices and/or procedures are being implemented; or
- b) during short term maintenance procedures when engineering controls are not in normal operation or are not sufficient; or
- c) if normal operational workplace vapor concentration in the air is increased due to heat ;
- d) during emergencies; or
- e) if engineering controls and operational practices are not sufficient to reduce airborne concentrations below an established occupational exposure limit.

Hygiene measures : To the extent deemed appropriate, implement pre-placement and regularly scheduled ascertainment of symptoms and spirometry testing of lung function for workers who are regularly exposed to this material.
To the extent deemed appropriate, use an experienced air sampling expert to identify and measure volatile chemicals that could be present in the workplace air to determine potential exposures and to ensure the continuing effectiveness of engineering controls and

Version : 1

Revision Date : 01.05.2015



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product YLANG OLIFAC 0612

Print Date 01.05.2015

Page 5 (7)

operational practices to minimize exposure.

Protective measures : In December 2003, the National Institute for Occupational Safety and Health ("NIOSH") published an Alert on preventing lung disease in workers who use or make flavorings [NIOSH Publication Number 2004-110].
In August 2004, the United States Flavor and Extract Manufacturers Association (FEMA) issued a report entitled "Respiratory Safety in the Flavor Manufacturing Workplace".
Both of these reports provide recommendations for reducing employee exposure and for medical surveillance in the workplace. The recommendations in these reports are generally applicable to the use of any chemical in the workplace and you are strongly urged to review both of these reports.
The report published by FEMA also contains a list of "high priority" chemicals. If any of these chemicals are present in this product at a concentration $\geq 1.0\%$ due to an intentional addition by IFF, the chemical(s) will be identified in this safety data sheet.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state : liquid
Colour : colorless to pale yellow
Odour : conforms to standard

Safety data

Flash point : 85 °C
Ignition temperature : > 100 °C
Vapour pressure : 0.25 hPa
Note: Calculated

10. STABILITY AND REACTIVITY

Conditions to avoid : Remarks: Direct sources of heat.
Hazardous decomposition products : Note: Carbon monoxide and unidentified organic compounds may be formed during combustion.
Hazardous reactions : Presents no significant reactivity hazard, by itself or in contact with water. Avoid contact with strong acids, alkali or oxidizing agents.

11. TOXICOLOGICAL INFORMATION

There is no data available for this product. The health hazards are assessed based on the ingredients in this preparation and their concentrations.

Version : 1
Revision Date : 01.05.2015



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product YLANG OLIFFAC 0612

Print Date 01.05.2015

Page 6 (7)

12. ECOLOGICAL INFORMATION

Avoid contamination of soil, ground and surface water.

13. DISPOSAL CONSIDERATIONS

Product : Disposal together with normal waste is not allowed. Special disposal required according to local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION

IATA

UN number : 3082
Description of the goods : Environmentally hazardous substance, liquid, n.o.s.
(ISOAMYL SALICYLATE)
Labels : 9
Packing group : III

IMDG_GLOBAL

UN number : 3082
Description of the goods : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.
(ISOAMYL SALICYLATE)
Labels : 9
Packing group : III
Marine pollutant : yes

15. REGULATORY INFORMATION

Labelling according to EC Directives 1999/45/EC

Symbol(s) : Xn Harmful
N Dangerous for the environment

R-phrases : R22 Harmful if swallowed.
R36/38 Irritating to eyes and skin.
R43 May cause sensitisation by skin contact.
R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R63 Possible risk of harm to the unborn child.

S-phrases : S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S36/37 Wear suitable protective clothing and gloves.
S61 Avoid release to the environment. Refer to special instructions/ Safety data sheets.

Version : 1
Revision Date : 01.05.2015



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product YLANG OLIFFAC 0612

Print Date 01.05.2015

Page 7 (7)

HMIS Classification : Health hazard: 1
Chronic Health Hazard: *
Flammability: 2
Physical and chemical hazards: 0

16. OTHER INFORMATION

Further information

The information in this safety data sheet is based on the properties of the material known to IFF at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances under which it is packaged, stored or applied in the workplace. For such a safety assessment International Flavors & Fragrances holds no responsibility. This document is not intended for quality assurance purposes.

Version : 1
Revision Date : 01.05.2015